



Government of India  
Ministry of Environment, Forest and Climate Change  
(Impact Assessment Division)

To,

The Deputy Engineer Civil  
MIDC  
MIDC, Mangaon Subdivision, Mahad, Raigad, Maharashtra-402309

**Subject:** Grant of Environmental Clearance (EC) to the proposed Project Activity under the provision of EIA Notification 2006-regarding

Sir/Madam,

This is in reference to your application for Environmental Clearance (EC) in respect of project submitted to the Ministry vide proposal number IA/MH/NCP/164072/2020 dated 27 Aug 2022. The particulars of the environmental clearance granted to the project are as below.

|  |   |
|--|---|
| 1. EC Identification No.                   | EC22A031MH110208  |
| 2. File No.                                | 21-41/2020-IA.III   |
| 3. Project Type                            | New   |
| 4. Category                                | A   |
| 5. Project/Activity including Schedule No. | 7(c) Industrial estates/ parks/ complexes/ areas, export processing Zones |
| 6. Name of Project                         | Proposed Dighi Port Based Industrial Area                                 |
| 7. Name of Company/Organization            | MIDC  |
| 8. Location of Project                     | Maharashtra   |
| 9. TOR Date                                | 24 Aug 2020   |

The project details along with terms and conditions are appended herewith from page no 2 onwards.

Date: 17/10/2022

(e-signed)  
Amardeep Raju  
Scientist E  
IA - (INFRA-1 sector)

*Note: A valid environmental clearance shall be one that has EC identification number & E-Sign generated from PARIVESH. Please quote identification number in all future correspondence.*

*This is a computer generated cover page.*



2. The proposed project is for development of the Dighi Port based Industrial Area (DPIA) in Mangaon and Roha taluka of Raigad district in Maharashtra. The total land involved in the project is 5024.06ha. The proposed development will be carried out by Maharashtra Industrial Development Corporation (MIDC). The proposed development includes plotting and zoning Pharmaceuticals (non-API), Engineering and Food zone as well as Residential zone within the proposed MIDC area including area development and land infrastructure like roads, water lines, SWDs, power lines, CSTP, MSW management facility, utility areas etc.

3. The Terms of Reference (ToR) of the proposal was considered in 237<sup>th</sup> EAC Meeting held on 29<sup>th</sup>-30<sup>th</sup> July, 2020 and the ToR was granted by EAC vide letter no. F. No. 21-41/2020-IA.III, dated 24<sup>th</sup> August, 2020.

4. The proposed project falls under 7(c)-Industrial estate/parks/complexes/areas, Export processing Zones EPZs, Special Economic Zones SEZ, Biotech Parks, Leather Complexes. Category-A, as per EIA notification 2006. Total investment/cost of the project is Rs.7360.46Cr.

5. List of industries to be housed with the proposed project site, only for projects covered under 7(c) category of EIA Notification, 2006: The proposed industrial area development has a plot area of 5040.04 Ha. Proposed industrial estate will have heterogenous industries in three different zones viz.

| S.no         | Type of industrial Zone/Land use | Area (Ha)      |
|--------------|----------------------------------|----------------|
| 1            | Engineering Zone                 | 1173.08        |
| 2            | Food Processing Zone             | 275.60         |
| 3            | Pharmaceutical Zone              | 1069.26        |
| 4            | Commercial                       | 152.46         |
| 5            | Residential Zone                 | 521.58         |
| 6            | Amenities                        | 136.35         |
| 7            | Utilities                        | 109.33         |
| 8            | Area under Roads                 | 494.78         |
| 9            | Green Buffer                     | 1091.45        |
| <b>Total</b> |                                  | <b>5024.06</b> |

6. Terrain and topographical features: The land is primarily rural in character partly under agriculture and fallow land use. There is very low built up area. The contours of the area vary from 25m to 134 m.

7. Details of water bodies, impact on drainage: The Kal Mandgaon River flows through the site and is non-perennial. The Kundalika River is outside the DPIA and is located to the North of the site. This river flows east to west and has ample amount of fresh water all through the year which is tail race from Bhira Dam. No waterbodies will be disturbed in project area. Buffer zone (green belt) of 100 m is kept on either side of Kal River as per MIDC DCR. 10 m buffer zone is kept for all seasonal streams/nalas.

8. Water requirements, sources (during construction and operation phases) and NOC: Construction Phase: Source: Water for domestic requirement of labourers will be sourced from tanker water supply. Construction water will also be sourced from tankers. Requirement: 30 cmd for domestic requirement of labourers and 92 cmd for construction purposes. Operation Phase: Source: Water will be sourced from proposed jackwell on Kundalika river near Kamat village for industrial use and residential use. Requirement: 85 MLD for DPIA – Agreement signed with Irrigation Department for 102 MLD through river Kundalika. Jackwell on Kundalika river near Kamat village and Water Treatment Plant near Pahur village will be established. 102 MLD Water reservation is available in the Kundalika River for this project.

9. Groundwater extraction/usage and NOC/Clearance from CGWA/State Ground Water Department: Not envisaged since ground water extraction in MIDC areas is not permitted.

10. Tree cutting: Approx. 830 trees falling within common infrastructure areas and ROW of proposed roads. Which will be cut or transplanted with due permissions from regulatory authority.

11. Diversion of forest land: Not Applicable. No diversion of forest land is envisaged. Patches of Reserve Forests are seen adjoining to the proposed layout of Dighi Port based Industrial Area. Green belt of 50 m is proposed around the Reserve forest patches in order 70 to ensure the integrity of forest area and to maintain the natural form of forest.

12. Tamhini Wildlife Sanctuary is located at 4.7 km to the west of the proposed site.

13. The units proposed to be established have low water polluting potential like Pharma formulation, Food processing and Engineering. Effluent from proposed units will be treated in Effluent Treatment Plant within individual plots and provision for reuse of treated water will be made by individual unit. All the units will be established on Zero Liquid Discharge (ZLD) and no treated effluent will be allowed to be disposed outside plot area.

14. STP: Provide details of treatment and usage of treated sewage with STP's capacity. Common STP will be provided for residential area to treat the sewage generated. Conventional Activated sludge process or Sequential Batch Reactor (SBR) will be provided with tertiary



treatment facilities to enable treatment to less than 5 mg/L BOD and enable recycling for flushing and gardening.

15. Public Hearing was conducted on 08<sup>th</sup> October 2021 in Nizampur - On site, Mangaon Tehsil, Raigad district, Maharashtra as given below:

| S. No. | Date                          | Name of District | Location   | Chaired by                       |
|--------|-------------------------------|------------------|--|----------------------------------|
| 1.     | 08 <sup>th</sup> October 2021 | Raigad           | Venue as Gawli Samaj Bhavan, Near Bank of Maharashtra, Mian road Nizampur, Tal. Mangaon, Dist. Raigad. | Addl. District Magistrate Raigad |

16. R&R Details: The total industrial area of the project is comprised over an area of 5024.06ha which is Govt land. The proposal does not involve any rehabilitation and resettlement.

17. Employment potential: Construction Phase: 300 to 350 nos. for development of infrastructure like Roads, CFC Centre, WTP, CSTP, MSW landfill and other Civil works mostly to be engaged by Contractor who will be engaged for developing the infrastructure over 5year period. Around 50 nos. of MIDC personnel will supervise the development. Operation Phase: Around 300 nos. of MIDC personnel will be responsible for Operation and Maintenance and Establishment activities. The industries to be set up will result in employment of about 50,000 personnel.

18. Benefits of the project: the proposed project will create employment of over 50,000 Directly & Indirectly due to business, leading to Stimulation of economic growth outside MMR and PMR area. Stimulating Local Economy due to direct & indirect impact of industries and related business. Large investment around proposed project by other parties due to DPIA development stimulating all out development in Konkan region. DPIA will serve as a trade and industrial hub that will augment India's western gateway to global trade, commerce and industry. **Social Benefits:** Providing alternate employment opportunity to population in Konkan Region. Socio-economic opportunities will increase for business and employment population in Konkan Region apart from that skill development and technical expertise enhancement possibilities due to influx of industries and skilled manpower.

19. Details of Court Cases: No court cases are pending against the proposed project.

20. The EAC based on the information submitted and clarifications provided by the project proponent and detailed discussions held on all the issues in its 308<sup>th</sup> meeting on 15<sup>th</sup>-16<sup>th</sup>

September, 2022, recommended the project for grant of Environmental Clearance with stipulated specific conditions along with other Standard EC Conditions.

21. The Ministry of Environment, Forest and Climate Change has considered the proposal based on the recommendations of the Expert Appraisal Committee (Infrastructure, CRZ and other miscellaneous projects) and hereby decided to grant Environmental Clearance for the “Development of Dighi Port based Industrial Area at Taluka Mangaon and Roha District Raigad, Maharashtra in the area of 5024.06 ha by M/s Maharashtra Industrial Development Corporation (MIDC)” under the EIA Notification, 2006 as amended and CRZ Notification 2011, subject to strict compliance of the following specific conditions, in addition to all standard conditions applicable for such projects.

### **SPECIFIC CONDITIONS**

- (i) As proposed, Zero Liquid Discharge shall be implemented in the industrial area and to achieve the Zero Liquid Discharge, wastewater generated from various industrial operations shall be properly collected, treated to the prescribed standards and then recycled or reused for the identified uses.
- (ii) As proposed, no ground water shall be extracted during construction and operation phase of the Industrial Estate.
- (iii) 250 meters Buffer zone shall keep the distance from the Households and 50m green belt shall be provided on the buffer zone.
- (iv) As provided for in the EMP, a Green belt along the boundary as well as along the water bodies etc will be developed using Miyawaki technique. However, only native trees to be used for the same. Significant number of ficus and Western Ghat endemic and threatened trees should be used for green belt development. The work should be done preferably by not-for-profit institutions and community-based organizations working in this region having expertise in this subject.
- (v) As proposed in the revised EMP costs, good quality healthcare facility should be established within the proposed project and improving facilities of existing government healthcare centers in the region.
- (vi) As provided for in the EMP, Biodiversity impact monitoring of the site for 10 years to be undertaken by Ratnagiri sub-campus of University of Mumbai through various collages in Raigad and Ratnagiri districts. Efforts to be made to engage post graduate students from the region that will help them also to build skills. 10 Crore provision as presented



in EMP for capital cost and 10 Crore monitoring cost over 10 years is made available. A proposal in this regard should be sought from the Ratnagiri sub-campus of University of Mumbai. Entire capital cost and annual fund for first five years to be made available to Ratnagiri sub-campus of University of Mumbai within 3 months from grant of EC.

- (vii) As provided for in the EMP, a capital grant of 4 Crore is provided to the Life Sciences department of University of Mumbai having expertise in biodiversity for initiating biodiversity conservation in the region through various collages in Raigad and Ratnagiri districts. Focus of the work should be on the conservation of flora and fauna of coastal plateaus, endemic flora of the Western Ghats and other important biodiversity of the region. Besides an annual grant of 40 lakh is also provided to undertake various activities related to biodiversity conservation of the region. A proposal in this regard should be sought from the Center and entire capital cost and annual fund for first five years to be made available within 3 months from grant of EC. The entire project is to be implemented through participation of faculty, graduate and post graduate students of affiliated collages.
- (viii) As provided for in the EMP, a specific provision of 5 Crore is provided for upgradation of infrastructure of atleast 50 government schools exclusively for underprivileged schools from the region of Raigad and Ratnagiri districts.
- (ix) As provided for in the EMP, a skill development institute will be established with a capital cost of 10 Crore and annual operation cost of 1 Crore. If additional funds are required, PP will make available the same. The center should be ready and functional within 18 months from grant of EC.
- (x) The quantity of freshwater usage, water recycling and rainwater harvesting shall be measured/recorded to ensure the water balance as projected by the project proponent. The record shall be submitted to the Regional Office, MoEF&CC along with six Monthly Monitoring reports.
- (xi) All the recommendation of the EMP shall be complied with in letter and spirit and be submitted to the Regional Office, MoEF&CC along with six Monthly Monitoring reports.
- (xii) The member units shall provide storage tanks for storage of effluent for monitoring the characteristics of effluent before taking into the CETP for further treatment.
- (xiii) Proper meters with recording facilities shall be provided to monitor the effluent quality and quantity sent from member industries to CETP and from CETP to re-use on a continuous basis.



- (xiv) Ambient noise levels shall conform to the prescribed standards both during day and night. Incremental pollution loads on the ambient air and noise quality should be closely monitored during development/ construction phase. Adequate measures shall be made to reduce ambient air and noise level during construction phase, so as to conform to the stipulated standards by CPCB/SPCB.
- (xv) Fly ash should be used as building material in the construction as per the provisions of Fly Ash Notification of September, 1999 and amended as on 27<sup>th</sup> August, 2003 and 25<sup>th</sup> January, 2016.
- (xvi) Rainwater harvesting for roof run-off and surface run- off, as plan submitted shall be implemented. Before recharging the surface run off, pre-treatment must be done to remove suspended matter, oil and grease. The bore well for rainwater recharging shall be kept at least 4 mts above the highest ground water table.
- (xvii) As per the Ministry's Office Memorandum F. No. 22-65/2017-IA.III dated 30<sup>th</sup> September, 2020, the project proponent shall abide by all the commitments made by them to address the concerns raised during the public consultation. The project proponent shall initiate the activities proposed by them, based on the commitment made in the public hearing, and incorporate in the Environmental Management Plan and submit to the Ministry. All other activities including pollution control, environmental protection and conservation, R&R, wildlife and forest conservation/protection measures including the NPV, Compensatory Afforestation etc, either proposed by the project proponent based on the social impact assessment and R&R action plan carried out during the preparation of EIA report or prescribed by EAC, shall also be implemented and become part of EMP.

## STANDARD CONDITIONS

### Statutory compliance:

- (i) The Environmental Clearance granted to the project is for infrastructure development of Industrial Area. However, the individual project/activity need to take prior environmental clearance as per the Schedule of EIA Notification, 2006, as amended. Further, all projects or activities located within industrial estates or parks (item 7(c) of the Schedule) approved by the concerned authorities, are exempted from the process of public consultation, however, no exemption in conduct of Public Hearing is provided for industries listed in the OM no. J-11011/321/2016-IA.II(I), dated 27.04.2018.
- (ii) The project proponent shall prepare a Site-Specific Conservation Plan & Wildlife Management Plan and approved by the Chief Wildlife Warden. The recommendations of the approved Site-Specific Conservation Plan/Wildlife Management Plan shall be implemented in consultation with the State Forest Department. The implementation



report shall be furnished along with the six-monthly compliance report (incase of the presence of schedule-I species in the study area).

- (iii) The project proponent shall obtain the necessary permission from the Central Ground Water Authority, in case of drawl of ground water/from the competent authority concerned in case of drawl of surface water required for the project.
- (iv) All excavation related dewatering shall be as duly authorized by the CGWA. A NOC from the CGWA shall be obtained for all dewatering and ground water abstraction
- (v) A certificate of adequacy of available power from the agency supplying power to the project along with the load allowed for the project should be obtained.
- (vi) All other statutory clearances such as the approvals for storage of diesel from Chief Controller of Explosives, Fire Department, Coast Guard, Civil Aviation Department shall be obtained, as applicable by project proponents from the respective competent authorities.

## **II. Air quality monitoring and preservation:**

- (i) The project proponent shall install system to carryout Ambient Air Quality monitoring for common/criterion parameters relevant to the main pollutants released (e.g. PM<sub>10</sub> and PM<sub>2.5</sub> in reference to PM emission, and SO<sub>2</sub> and NO<sub>x</sub> in reference to SO<sub>2</sub> and NO<sub>x</sub> emissions) within and outside the project area at least at four locations (one within and three outside the plant area at an angle of 120° each), covering upwind and downwind directions.
- (ii) Appropriate Air Pollution Control (APC) system shall be provided for all the dust generating points including fugitive dust from all vulnerable sources, so as to comply prescribed emission standards.
- (iii) Dust collectors shall be deployed in all areas where surface cleaning and painting operations are to be carried out, supplemented by stacks for effective dispersion.
- (iv) Diesel power generating sets proposed as source of backup power should be of enclosed type and conform to rules made under the Environment (Protection) Act, 1986. The height of stack of DG sets should be equal to the height needed for the combined capacity of all proposed DG sets. Use of low sulphur diesel. The location of the DG sets may be decided with in consultation with State Pollution Control Board.
- (v) A detailed traffic management and traffic decongestion plan shall be drawn up to ensure that the current level of service of the roads within a 05 kms radius of the project is maintained and improved upon after the implementation of the project. This plan should be based on cumulative impact of all development and increased habitation being carried out or proposed to be carried out by the project or other agencies in this 05 Kms radius of the site in different scenarios of space and time and the traffic management plan shall be duly validated and certified by the State Urban Development department and the P.W.D./competent authority for road augmentation and shall also have their consent to the





implementation of components of the plan which involve the participation of these departments.

### **III. Water quality monitoring and preservation:**

- (i) Total fresh water use shall not exceed the proposed requirement as provided in the project details. Prior permission from competent authority shall be obtained for use of fresh water.
- (ii) Sewage Treatment Plant shall be provided to treat the wastewater generated from the project. Treated water shall be reused for horticulture, flushing, backwash, HVAC purposes and dust suppression.
- (iii) A certificate from the competent authority for discharging treated effluent/ untreated effluents into the Public sewer/ disposal/drainage systems along with the final disposal point should be obtained.
- (iv) No diversion of the natural course of the river shall be made without prior permission from the Ministry of Water resources.

### **IV. Noise monitoring and prevention:**

- (i) Noise level survey shall be carried as per the prescribed guidelines and report in this regard shall be submitted to Regional Officer of the Ministry as a part of six-monthly compliance report.
- (ii) Noise from vehicles, power machinery and equipment on-site should not exceed the prescribed limit. Equipment should be regularly serviced. Attention should also be given to muffler maintenance and enclosure of noisy equipments.
- (iii) Acoustic enclosures for DG sets, noise barriers for ground-run bays, ear plugs for operating personnel shall be implemented as mitigation measures for noise impact due to ground sources.
- (iv) The ambient noise levels should conform to the standards prescribed under E(P)A Rules, 1986 viz. 75 dB(A) during day time and 70 dB(A) during night time.

### **V. Energy Conservation measures:**

- (i) Provide solar power generation on roof tops of buildings, for solar light system for all common areas, street lights, parking around project area and maintain the same regularly;
- (ii) Provide LED lights in their offices and project areas.

### **VI. Waste management:**

- (i) Necessary arrangements for the treatment of the effluents and solid wastes must be made and it must be ensured that they conform to the standards laid down by the competent authorities including the Central or State Pollution Control Board and under the Environment (Protection) Act, 1986.



- (ii) The solid wastes shall be managed and disposed as per the norms of the Solid Waste Management Rules, 2016.
- (iii) Any wastes from construction and demolition activities related thereto shall be managed so as to strictly conform to the Construction and Demolition Waste Management Rules, 2016.
- (iv) A certificate from the competent authority handling municipal solid wastes should be obtained, indicating the existing civic capacities of handling and their adequacy to cater to the M.S.W. generated from project.
- (v) Used CFLs and TFLs should be properly collected and disposed off/sent for recycling as per the prevailing guidelines/rules of the regulatory authority to avoid mercury contamination.

#### **VII. Green Belt:**

- (i) An overall green area of at-least 33% of the Industrial Area should be developed with native species. The project proponent of the Industrial Area shall comply with the additional commitment made by them in the EIA report regarding the development of green belt.
- (ii) The Industrial Areas are directed to accordingly allocate the area to be developed as green cover to respective individual industrial units so as to achieve the above mentioned condition.
- (iii) The individual industrial unit, at the time of obtaining EC, shall bring a letter from the Industrial Area for the area allocated to them to be developed as green cover as a part of obligation from the Industrial Area.
- (iv) Wherever possible, plantations around the periphery of the Industrial Area, in the downwind direction and along the road sides shall be provided for containment of pollution and for formation of a screen between the industrial area and the outer civil area. The choice of plants should include shrubs of height 1 to 1.5 m and tree of 3 to 5 m height. The intermixing of trees and shrubs should be such that the foliage area density in vertical is almost uniform.
- (v) The parameters like selection of plant species, procedure for plantation, density of tree plantation etc shall be as per the CPCB guidelines.

#### **VIII. Public hearing and human health issues:**

- (i) Workers shall be strictly enforced to wear personal protective equipments like dust mask, ear muffs or ear plugs, whenever and wherever necessary/ required. Special visco-elastic gloves will be used by labour exposed to hazards from vibration.
- (ii) Safety training shall be given to all workers specific to their work area and every worker and employee will be engaged in fire hazard awareness training and mock drills which will be conducted regularly. All standard safety and occupational hazard measures shall



be implemented and monitored by the concerned officials to prevent the occurrence of untoward incidents/ accidents.

- (iii) Emergency preparedness plan based on the Hazard identification and Risk Assessment (HIRA) and Disaster Management Plan shall be implemented.
- (iv) Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, mobile STP, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- (v) Occupational health surveillance of the workers shall be done on a regular basis.

#### **X. Environment Responsibility:**

- (i) The company shall have a well laid down environmental policy duly approved by the Board of Directors. The environmental policy should prescribe for standard operating procedures to have proper checks and balances and to bring into focus any infringements/deviation/violation of the environmental / forest /wildlife norms/ conditions. The company shall have defined system of reporting infringements / deviation / violation of the environmental / forest / wildlife norms / conditions and / or shareholders / stake holders. The copy of the board resolution in this regard shall be submitted to the MoEF&CC as a part of six-monthly report.
- (ii) A separate Environmental Cell both at the project and company head quarter level, with qualified personnel shall be set up under the control of senior Executive, who will directly report to the head of the organization.
- (iii) Action plan for implementing EMP and environmental conditions along with responsibility matrix of the company shall be prepared and shall be duly approved by competent authority. The year wise funds earmarked for environmental protection measures shall be kept in separate account and not to be diverted for any other purpose. Year wise progress of implementation of action plan shall be reported to the Ministry/Regional Office along with the Six Monthly Compliance Report.
- (iv) Self environmental audit shall be conducted annually. Every three years third party environmental audit shall be carried out.

#### **XI. Miscellaneous:**

- (i) The project proponent shall make public the environmental clearance granted for their project along with the environmental conditions and safeguards at their cost by prominently advertising it at least in two local newspapers of the District or State, of which one shall be in the vernacular language within seven days and in addition this shall also be displayed in the project proponent's website permanently.



- (ii) The copies of the environmental clearance shall be submitted by the project proponents to the Heads of local bodies, Panchayats and Municipal Bodies in addition to the relevant offices of the Government who in turn has to display the same for 30 days from the date of receipt.
- (iii) The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and update the same on half-yearly basis.
- (iv) The project proponent shall submit six-monthly reports on the status of the compliance of the stipulated environmental conditions on the website of the ministry of Environment, Forest and Climate Change at environment clearance portal.
- (v) The project proponent shall submit the environmental statement for each financial year in Form-V to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently and put on the website of the company.
- (vi) The criteria pollutant levels namely; PM<sub>2.5</sub>, PM<sub>10</sub>, SO<sub>2</sub>, NO<sub>x</sub> (ambient levels) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.
- (vii) The project proponent shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities, commencing the land development work and start of production operation by the project.
- (viii) The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board and the State Government.
- (ix) The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during Public Hearing and also that during their presentation to the Expert Appraisal Committee.
- (x) No further expansion or modifications in the Industrial Area shall be carried out without prior approval of the Ministry of Environment, Forests and Climate Change (MoEF&CC).
- (xi) Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance and attract action under the provisions of Environment (Protection) Act, 1986.
- (xii) The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.
- (xiii) The Ministry reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.



- (xiv) The Regional Office of this Ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information/monitoring reports.
- (xv) The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India / High Courts and any other Court of Law relating to the subject matter.
- (xvi) Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

24. This issues with the approval of the Competent Authority.



**(Amardeep Raju)**  
Scientist-E

Copy to:

1. The Principal Secretary, Department of Forests & Environment and Chairman, MCZMA, Govt. of Maharashtra, Annexe Building, Mantralaya, Mumbai- 32.
2. The Chairman, Central Pollution Control Board, Parivesh Bhawan, CBD-cum-Office Complex, East Arjun Nagar, Delhi – 32
3. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Points, 3<sup>rd</sup>& 4<sup>th</sup> Floor, Opp. Cine Planet, Sion Circle, Sion, Mumbai-400 022, Maharashtra.
4. The APCCF (C), MoEF& CC, Regional Office (WCZ), Ground Floor, East Wing, New Secretariat Building, Civil Lines, Nagpur-440 001, Maharashtra.
5. Monitoring Cell, MoEF&CC, Indira Paryavaran Bhavan, New Delhi.
6. Guard File/Record File
7. Notice Board.



**(Amardeep Raju)**  
Scientist-E